



*seit 1651*

# Wittigsthal



## WATER HEATER

---

pressureless  
for coal & wood

# WATER HEATER pressureless, Technical sheet



## TOP OVEN (Boiler)

- enamelled steel cylinder - water volume 100 l
- smoke outlet  $\varnothing$  100 mm
- mixing tap connector 2 x thread 1/2" 35 mm center distance
- diameter 365 mm
- total height  $1520 \pm 10$  mm
- outlet height  $670 \pm 10$  mm
- weight 18 kg
- gas emission flow 8 g/s
- waste gas temperature  $278^{\circ}\text{C}$
- supply pressure 10 Pa
- internal downpipe
- complex corrosion protection system: seamless two-layered enamelled on the in- and outside, with an additional replaceable sacrificial anode inside the boiler
- temperature measuring strip (reversible)
- designed as pressureless boiler (tank) - operating according to the overflow-principle
- color: standard white, brown or black
- incl. mixing tap, shower hose 1500 mm, shower head

## BOTTOM HEATER (Oven) WBU 100/6

- for solid fuels
- $\varnothing$  380 mm
- height 425 mm
- weight 26 kg
- nominal heat output 7,5 kW
- enamelled steel body with cast iron fire cabinet and fire-clay lining
- round cast iron grate (shakeable from outside)
- color: brown or black



**Wittigsthal.** Partner des Fachhandels und des Fachhandwerkes

# WATER HEATER pressureless, Models




**Top Oven, enamelled**  
black, white or brown

**Bottom heater, enamelled**  
black or brown

**Mixing tap, shower head**  
black or white



Dimensions in mm,  $\pm 10$  mm



Der Not only does the bath heater heat the water in the 100-liter tank, but it also creates a cosy warmth in the bathroom at the same time. All this works according to the overflow principle and with the help of a mixing tap which has an overpressure function and ventilation. Together with the shower hose and

head it is a perfectly coordinated system. The bath heater consists of two parts – the bottom heater with fire-clay lining, ash pan, air regulator and riddling rod and the top oven with a seamless two-layered enamelled mantle and a mixing tap with shower hose and head.



**Wittigsthal.** Partner des Fachhandels und des Fachhandwerkes



Stand 2025

**Wittigsthal TGA Solutions GmbH**  
Eisenwerkstraße 1  
08349 Johannegeorgenstadt

Telefon +49 3773 506-0  
Fax +49 3773 506-222  
eMail [info@wittigsthal.de](mailto:info@wittigsthal.de)



*seit 1651*  
**Wittigsthal**

*Zukunft aus Herkunft*

Partner des Fachhandels und des Fachhandwerkes

[www.wittigsthal.de](http://www.wittigsthal.de)